



Cat[®] CUV82

UTILITY VEHICLE

FEATURES:

- Designed for Work** – The gas-powered Cat[®] CUV82 Utility Vehicle efficiently completes hauling tasks, quickly maneuvering over rugged terrain on the work site at speeds over 72.4 km/h (45 mph). The CUV82 features a rugged all steel cargo bed with 453.6 kg (1,000 lb) capacity. Smooth acceleration, clear sight lines and engine braking capability make the Cat UTV well suited for hauling and towing.
- Stable Under Load** – The CUV82 boasts a four-wheel independent suspension system with a front sway bar, providing superior stability at full load. A long swing arm suspension and custom tuned springs and shocks provide a balance between a smooth ride and handling loads. Ample ground clearance ensures these vehicles will navigate rough terrain with ease.
- Quiet, Comfortable Operation** – The Cat UTV is built for quiet and comfortable operation all day long. The design minimizes noise and vibration during operation for a quieter ride. The CUV82 comfortably seats two riders side-by-side with ample leg, elbow and headroom for tall riders. Behind the seat storage and a document holder provide space for personal items and gear. The passenger seat base can be removed and stowed behind the seat to provide extra floor space for larger items.
- Easy to Operate and Customize** – Driving ease and comfort are hallmarks of the new Cat UTV experience. Standard electric power steering offers superior handling and tight turning capabilities. An instrument gauge offers easy viewing of critical operating information. More than 50 accessory options are available so you can customize your Cat UTV to meet your specific work needs. The Cat UTV is pre-wired for quick do-it-yourself installation of all of these options.
- Easy Service, Unmatched Dealer Support** – Easy access service points simplify vehicle maintenance, while on-board advanced diagnostics reduce troubleshooting time. Above all, the Cat CUV82 is backed by unmatched service and support from participating UTV Cat dealers.

Specifications

Engine

| | |
|------------------|------------------------------|
| Fuel Type | Gasoline |
| Engine Size/Type | 50 hp, 0.8 L, Three-Cylinder |
| Cooling | Liquid with Fan |
| Safety Standard | ANSI/ROHVA 1-2014 |

Capacity

| | | |
|-------------------------|----------|----------|
| Seat (Capacity) – Front | 2 | |
| Fuel Tank Capacity | 37.8 L | 10 gal |
| Towing | 907.2 kg | 2,000 lb |
| Rear Cargo (Capacity) | 453.6 kg | 1,000 lb |
| Rear Cargo (Type) | Steel | |
| Box Lining | Paint | |



CUV82 Utility Vehicle

Driveline

| | | |
|--------------|--|--|
| Top Speed | Over 72.4 km/h (45 mph) with 40.2 km/h (25 mph) Configurable Speed Setting | |
| Transmission | CVT | |
| Drive System | 2WD/4WD/4WD Lock | |

Dimensions

| | | |
|-----------------------------------|-----------------------------------|-------------------------------------|
| Rear Cargo Dimensions (L × W × H) | 1403 mm × 1054 mm × 299 mm | 55.25 in × 41.5 in × 11.75 in |
| Wheelbase | 2159 mm | 85 in |
| Overall Vehicle Size (L × W × H) | 3200 mm × 1600 mm × 1880 mm | 126 in × 63 in × 74 in |
| Ground Clearance | 267 mm | 10.5 in |
| Seat Height | 813 mm | 32 in |
| Floor Height | 311 mm | 12.25 in |
| Track Width | 1575 mm | 62 in |
| Curb Weight (Wet) | 729.4 kg | 1,608 lb |

Electrical

| | |
|--------------------------------|----------|
| Instrument Gauge | Digital |
| Headlight | Halogen |
| Tail Light | Dual LED |
| Location for Secondary Battery | Yes |

Suspension

| | |
|-------------------------|---------------------------------------|
| Tire Type | Utility |
| Tire Size | 25 × 10.5-12 |
| Wheel | Steel |
| Suspension Type (Front) | A-Arm – Independent |
| Suspension Type (Rear) | A-Arm – Independent |
| Brakes | Single and Dual Piston Disc Brakes |
| Emergency/Park Brake | Parking Gear |
| Sway Bar (Front) | Standard |

Steering/Shifting

| | |
|------------------|-----------------------|
| Steering | Electric Power Assist |
| Shifter Location | Steering Column |
| Shifter Type | Mechanical |

Interior

| | |
|---------------------|------------------------|
| Seat Belt | Three-Point |
| Seat | Cut and Sewn |
| Side Restraints | Shoulder Bar with Door |
| Behind Seat Storage | Yes |

STANDARD EQUIPMENT

POWER TRAIN

- 50 hp, 0.8 L, Three-Cylinder Gasoline Engine
- Transaxle with High, Low, Neutral, Reverse and Park
- Belt Driven CVT Transmission
- 2WD/4WD/4WD Lock Drive Settings
- Fuel Pump
- Air Cleaner, 2 Stage
- Radiator

ELECTRICAL

- Electric Assist Power Steering
- Instrument Gauge with Ground Speed, Engine Speed, Hours, Odometer, Battery Voltage, Engine Temperature, Fuel Level and Advanced Diagnostics
- Headlights with High/Low Beams
- Rear Tail Lights
- Alternator
- Horn

SUSPENSION

- Four Wheel Independent Suspension
- Sway Bar (Front – Standard, Rear – Optional)
- Dual Rate Springs

BRAKES

- Engine Braking
- Four Wheel Disc Brakes with Dual Reservoir

OTHER

- 40.2 km/h (25 mph) Configurable Speed Setting

OPERATOR ENVIRONMENT

- Two Seats
- Three-Point Seat Belts
- Document Holder
- Center Console with Equipment Holder
- Two Doors
- Beverage Holder
- Glove Box
- Lower Dash Storage
- Column Shifter
- Behind Seat Storage
- Adjustable Tilt Steering Wheel and Shifter
- Adjustable Driver's Seat
- Door Pockets

FRAMES

- All Steel Cargo Bed with Manual Dump
- Safety Standard Compliant ROPS

TIRES

- Standard Utility Tires with Steel Rims

ACCESSORIES

DOOR OPTIONS

- Plastic Full Doors
- Canvas Front Doors

FRONT WINDSHIELD OPTIONS

- Poly Windshield
- Poly Bottom Half-Windshield
- Wiper/Washer Kit

HEATING AND COOLING OPTIONS

- Heater/Defrost Kit
- Block Heater

LIGHTING OPTIONS

- Beacon Light
- Interior Dome Light Kit
- Work Lighting Kit

MIRROR OPTIONS

- Side Mirror
- Rearview Mirror

GUARD OPTIONS

- Brush Guard
- Grill Guard
- Rear Bumper
- Nerf Bar Steps
- Headache Rack
- Front Arm Guards
- Rear Tail Light Guard
- Front Heavy Duty Bumper
- Rear Arm Guards

SAFETY AND SECURITY OPTIONS

- Flag Rod and Holder
- Beacon
- Product Link™ 240
- Backup Alarm
- Battery Shut Off Switch

POWER OPTIONS

- Accessory Battery
- Electro-Hydraulic Power Bed Dump

REAR WINDSHIELD OPTIONS

- Poly Rear Panel
- Glass Rear Panel
- Sliding Window Rear Panel
- Rear Screen

ROOF OPTIONS

- One Piece Roof
- Two Piece Premium Roof
- Smoked PC Roof
- Roof Liner
- Bimini Roof

TIRE/WHEEL OPTIONS

- Off-Road Tires
- 14 inch Aluminum Wheel

TOWING OPTIONS

- Front Winch

STORAGE OPTIONS

- Middle Console Storage
- Under Seat Storage

GENERAL INTERIOR OPTIONS

- Overhead Console
- Rubber Box Mat

OTHER OPTIONS

- Snow Plow
- Rear Bumper
- Heavy Duty Front Bumper
- Grill Guard
- Brush Guard
- Rear Tail Light Guards
- A-Arm Guards
- Tow Hook Loop
- Gun Scabbard Mount
- Gun Scabbard Add-on Kit
- Mud Flaps

CUV82 Utility Vehicle

For more complete information on Cat products, dealer services, and industry solutions, visit us on the web at www.cat.com

© 2018 Caterpillar
All rights reserved

Materials and specifications are subject to change without notice. Featured machines in photos may include additional equipment. See your Cat dealer for available options.

CAT, CATERPILLAR, SAFETY.CAT.COM, their respective logos, "Caterpillar Yellow" and the "Power Edge" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

AEHQ8097-01 (01-2018)
Replaces AEHQ8097
(Americas North)

