



Carolina **CAT RENTALS**SM

RENTAL PRODUCT LINE

EVERYTHING YOU NEED TO GET THE JOB DONE



www.catrentals.com/carolina

WHY RENT FROM CAROLINA CAT?

Carolina Cat Rentals delivers more than machines—we deliver complete jobsite solutions. Our extensive rental fleet includes trusted Cat® equipment along with aerial lifts, lift trucks, power generation, and essential allied gear to keep your operation moving. From start to finish, we make it easy to get everything you need from one reliable partner.

WHY CAROLINA CAT?

Carolina Cat is a full-service Cat dealer built to support your operation at every stage. From new and used equipment sales to rentals, parts, service, rebuilds, and technology solutions, we deliver the resources and expertise needed to keep your business productive and competitive.



RENTAL PRODUCTS



AERIAL EQUIPMENT



ELECTRIC BOOM LIFTS			
Model	Platform Height	Horizontal Reach	Weight
Genie Z30/20N*	30 ft	21 ft 5 in	17,183 lb
Genie Z34/22N*	34 ft	22 ft 3 in	11,415 lb
JLG E400 AJPN*	40 ft	22 ft 5 in	14,900 lb
Genie Z40/23N*	40 ft	22 ft 8 in	15,230 lb
Genie Z45/25J	45 ft 9 in	25 ft 1 in	16,315 lb

ROUGH TERRAIN BOOM LIFTS			
Model	Platform Height	Horizontal Reach	Weight
MEC 34J	34 ft	26 ft	8,000 lb
Genie S40 4WD	40 ft	31 ft 8 in	14,124 lb
JLG 400S	40 ft	33 ft 3 in	13,640 lb
Genie Z45/25	45 ft	25 ft	16,360 lb
JLG 450AJ	45 ft	25 ft	14,150 lb
Genie S45 4WD	45 ft	36 ft 8 in	16,300 lb
Skyjack SJ45AJ	45 ft	22 ft 9 in	11,920 lb
JLG 460SJ	46 ft	39 ft	16,600 lb
JLG 600S	59 ft 8 in	50 ft 2 in	21,647 lb
Genie S60X 4WD	60 ft	50 ft 10 in	22,930 lb
Genie S60 TraX	60 ft	50 ft 10 in	26,840 lb
Genie Z60/34	60 ft	36 ft 6 in	22,520 lb
Genie S65 4WD	65 ft	56 ft 2 in	25,160 lb
Genie Z80-60 PWR	78 ft	60 ft	37,525 lb
Genie S85 4WD	85 ft	76 ft 6 in	39,500 lb
MEC 85J Dual Reach	85 ft	70 ft	37,500 lb
JLG 860 SJ	86 ft	75 ft	36,888 lb
JLG 1200 SJP	120 ft	75 ft	40,900 lb
JLG 1350 SJP	135 ft	80 ft	44,750 lb
Genie ZX-135/70	135 ft	69 ft 9 in	46,500 lb

HYBRID BOOM LIFTS			
Model	Platform Height	Horizontal Reach	Weight
Genie Z45-FE	45 ft 6 in	25 ft	16,800 lb
Genie Z60 FE	59 ft 7 in	36 ft 7 in	17,100 lb
Genie S-60 FE	61 ft	40 ft 6 in	17,750 lb



AERIAL EQUIPMENT



ELECTRIC SCISSOR LIFTS		
Model	Platform Height	Weight
Hy-Brid PO-1430 Light Weight	14 ft	1,645 lb
Hy-Brid PO-1930 Light Weight	19 ft	1,985 lb
MEC Micro 19	19 ft	2,280 lb
MEC Micro19XD (XtraDeck)	19 ft	2,820 lb
MEC Micro 26	26 ft	4,190 lb
Skyjack SJ3226	26 ft	4,190 lb
Genie GS3246	32 ft	5,211 lb
MEC 3232SE	32 ft	7,145 lb
MEC 3346SE	32 ft	5,670 lb
Skyjack SJ4632	32 ft	5,075 lb
MEC 4046SE	39 ft	7,140 lb
Genie GS4047	40 ft	7,185 lb
MEC 4555 SEAC	45 ft	7,660 lb

ROUGH TERRAIN SCISSOR LIFTS		
Model	Platform Height	Weight
Skyjack 6832RT	32 ft	7,660 lb
JLG 3394	33 ft	11,910 lb
Genie GS3369RT	33 ft	7,895 lb
JLG 4069	40 ft 3 in	10,558 lb
JLG 4394	43 ft	15,210 lb

OTHER AERIAL EQUIPMENT	
Model	Platform Height
JLC E18MCL	18 ft
JLG 20MVL	19 ft 1 in
Runabout Genie GR20*	20 ft
MEC MME30RJ	30 ft
Towable Genie TZ-34	34 ft
Towable Genie TZ-50	49 ft 6 in
Towable JLG T500J	50 ft 1 in

RENTAL PRODUCTS



AIR EQUIPMENT



ELECTRIC AND OIL FREE AIR COMPRESSORS

Model	CFM	PSI
Atlas Copco E-Air H450 VSD	466-360	72-90
Kobelco 200 VSD Oil Free	800	75-135
Kobelco 400 VSD Oil Free	1548	100-150
Kobelco 1550 Diesel Oil Free	1550	135

DIESEL PORTABLE AIR COMPRESSORS

Model	CFM	PSI
Atlas Copco 185	185	100
Allmand MA185	185	100
Sullair 185	185	100
Sullair 375H	375	150
Atlas Copco XAVS400	400	100-200
Sullair 400 HH	400	100-200
Sullair 800HH/900H	900	100-200
Atlas Copco XAS950	950	100-200
Atlas Copco XRVS1000	1000	350-500
Atlas Copco XRVS1550	1,550	350-500
Sullair 1600H	1,600	150
Atlas Copco XAS1800	1,800	100-200

AIR TOOLS

Model
Atlas Copco 15 lb Chipping Hammer
Atlas Copco 30-90 lb Hammer
Air Backfill Tamper / Pogo Stick Tamper
Bulk Air Hose 50 ft
Bulk Airhose Whip Check
Bulk Chisel Bit for Air Hammer
Bulk Moil Point Bit for Air Hammer

BROOMS

Model	HP	Weight	Broom Length
Lay-Mor SM300	24 hp	3,100 lb	8 ft
Lay-Mor SM450	74 hp	5,600 lb	8 ft

COMPACTION EQUIPMENT



RAMMERS & TAMPERS

Model	Impact Force	In Shoe
Bomag BT50	3,372 lb	13 in x 11 in
MultiQuip MTX60HD	3,060 lb	13.4 in x 10.4 in
MultiQuip MVC82VHW	3,080 lb	17.7 in x 22.4 in
WP1550AW	3,375 lb	19.6 in x 22.8 in
Wacker Neuson AS50E	3,597 lb	11 in x 13.4 in

PNEUMATIC ROLLERS

Model	HP	Weight	Compaction Width
Weiler CT3	36 hp	5,000 lb	60 in
CW16 Roller	100.5 hp	11,464 lb	68 in

SOIL & VIBRATORY COMPACTORS

Model	HP	Weight	Compaction Width
CS5 Smooth Vibratory Drum Roller	74 hp	9,799 lb	50 in
CP5 Padfoot Roller	83 hp	10,190 lb	50 in
CS7	99.8 hp	16,276 lb	66 in
CP7 Padfoot Vibratory Roller	100 hp	16,832 lb	66 in
CS7 Smooth Vibratory Drum Roller	100 hp	15,961 hp	66 in
CS10GC	120.7 hp	12,853 lb	84 in
CS11GC	120.7 hp	13,453 lb	84 in
CP11 Padfoot Vibratory Roller	157 hp	25,707 lb	84 in
CS11 Smooth Drum Roller	157 hp	25,346 lb	84 in
CP12 Padfoot Vibratory Roller	158 hp	28,472 lb	84 in
CS12 Smooth Drum Roller	158 hp	26,268 lb	84 in
815 Soil Compactor	248 hp	49,353 lb	-

TANDEM VIBRATORY ROLLERS

Model	HP	Weight	Compaction Width
Weiler C303	24 hp	5,700 lb	38-44 in
CB1.7 Double Drum	24.7 hp	3,538 lb	35 in
CB1.8 Double Drum	24.7 hp	3,825 lb	39 in
CB2.7 Double Drum	36.2 hp	6,003 lb	47 in
CB4.0 Double Drum	48.8 hp	8,155 lb	51 in
CB7 Double Drum	100 hp	19,015 lb	59 in
CB10 Double Drum	120 hp	21,638 lb	67 in
CB13 Double Drum	142 hp	27,557 lb	79 in

WALK-BEHIND ROLLERS

Model	Centrifugal Force	Weight	Compaction Width
BMP8500	16,188 lbf	3,516 lb	24 in or 33 in

RENTAL PRODUCTS



CONCRETE PRODUCTS



CONCRETE BUGGIES

Model	Size	Power	Maximum Load
Whiteman WBH-16EF	16 cubic ft	11.9 hp	2,500 lb
Toro MBX 2500	16 cubic ft	25 hp	2,500 lb
MultiQuip TuffTruk TB12PE	5.5 cubic ft	750W / 24V	1,100 lb

CONCRETE EQUIPMENT

Make	Model
Diamond Products	DK12 Hand Held Core Drill
Diamond Products	Core Drill with stand
Diamond Products	1 in - 10 in Core Bit
Diamond Products	14 in - 36 in Concrete & Asphalt Blades
Diamond Products	14 in Cut off Saw - Hand Held
Husqvarna	K770 14" Saw
Husqvarna	FS5000D 36" Walk-behind Saw
Diamond Products	26 in Walk-behind Saw Clipper
Core Cut	26 in Core Cut Concrete Saw
Makita	HM1812X3 70lb Electric Breaker
Wacker	Concrete Vibrator 2.5 hp



EARTH MOVING EQUIPMENT



BACKHOE LOADERS

Model	HP	Weight	Dig Depth
415	74 hp	16,279 lb	14 ft
416	87 hp	14,881 lb	14 ft 3 in
420	93 hp	15,201 lb	14 ft 4 in

WALK-BEHIND TRACK LOADER UP TO 600 LB

Model	HP	Operating Capacity	Width	Weight
Ditch Witch SK900	24.8 hp	932 lb	43 in	3,190 lb
Ditch Witch SK1000	23.2 hp	1,356 lb	43 in	3,140 lb
Toro TX-1000	25 hp	1,000 lb	41 in	2,860 lb
Vermeer S925TX	25 hp	925 lb	36 in	3,595 lb

COMPACT TRACK LOADERS 2,000-2,399 LB

Model	HP	Lift Capacity - 50%	Width	Weight
239D	65.8 hp	2,050 lb	69 in	7,289 lb
249D	65.8 hp	2,300 lb	69 in	7,685 lb

COMPACT TRACK LOADERS 2,400-2,999 LB

Model	HP	Lift Capacity - 50%	Width	Weight
255	74.3 hp	2,499 lb	69.3 in	9,578 lb
259D	73.2 hp	2,900 lb	69 in	8,945 lb
265	74 hp	2,823 lb	75.8 in	10,492 lb
279D	72.9 hp	2,935 lb	78 in	9,893 lb

COMPACT TRACK LOADERS 3,000 & ABOVE

Model	HP	Lift Capacity - 50%	Width	Weight
289D	72.9 hp	3,800 lb	78 in	10,533 lb
275	111 hp	5,937 lb	78 in	12,630 lb
275 XE	122 hp	6,008 lb	78 in	12,705 lb
285	111 hp	6,372 lb	81.8 in	13,497 lb
299D	98 hp	4,970 lb	78 in	11,464 lb
299D XE	110 hp	5,085 lb	78 in	11,756 lb

RENTAL PRODUCTS

EARTH MOVING EQUIPMENT



DOZERS 90 – 129 HP

Model	HP	Blade Width	Blade Capacity
D1 LGP	80 hp	124 in	2.17 yd ³
D2 LGP	92 hp	124 in	2.42 yd ³
D2 XL	92 hp	109.5 in	2.59 yd ³
D3 LGP	104 hp	126.7 in	3.06 yd ³ *
D3 XL	104 hp	109.5 in	2.86 yd ³ *

*3D options available

DOZERS 130 – 159 HP

Model	HP	Blade Width	Blade Capacity
D4 LGP	130 hp	12 ft	4.38 yd ³ *
D4 XL	130 hp	10 ft 6 in	4.01 yd ³ *
D5 LGP	150 hp	13 ft 5 in	4.13 yd ³ *
D5 XL	150 hp	10 f 4.2 in	4.16 yd ³ *

*3D options available

DOZERS 160 – 320 HP

Model	HP	Blade Width	Blade Capacity
D6 LGP	230 hp	13 ft 7 in	6.57 yd ³ *
D6 XL	230 hp	10 ft 7 in	7.26 yd ³ *
D7 XL	268 hp	11 ft 6 in	9.7 yd ³
D8 XL	317 hp	12 ft 9 in	11.4 yd ³

*3D options available

EXCAVATORS 2,000 – 3,999 LB

Model	HP	Max Operating Weight	Digging Depth	Width
300.9D	13 hp	2,061 lb	5 ft 8 in	2 ft 4.8 in
301.5C	17.7 hp	3,042 lb	7 ft 3 in	2 ft 5 in
301.7D	17.7 hp	3,550 lb	7 ft 3 in	3 ft 3 in
301.8	21 hp	4,473 lb	8 ft 4 in	3 ft 3 in

*Digging Depth with standard stick

EXCAVATORS 4,000 – 5,999 LB

Model	HP	Max Operating Weight	Digging Depth	Width
302D	17.7 hp	4,872 lb	7 ft 11 in	4 ft 6 in
302.7D CR	20.7 hp	6,239 lb	8 ft 4 in	5 ft 1.8 in

*Digging Depth with standard stick

EXCAVATORS 6,000 – 8,999 LB

Model	HP	Max Operating Weight	Digging Depth	Width
303E CR	23.5 hp	7,790 lb	9 ft	5 ft
303.5E CR	23.5 hp	8,580 lb	9 ft 6 in	5 ft 10 in
304E CR	40.2 hp	8,996 lb	10 ft 3 in	6 ft 5 in

*Digging Depth with standard stick



EARTH MOVING EQUIPMENT



EXCAVATORS 9,000 – 13,999 LB

Model	HP	Max Operating Weight	Digging Depth	Width
305E CR	40.2 hp	11,443 lb	10 ft 9 in	6 ft 6 in
305.5E CR	44.1 hp	11,958 lb	11 ft 4 in	6 ft 6 in

*Digging Depth with standard stick

EXCAVATORS 14,000 – 29,999 LB

Model	HP	Max Operating Weight	Digging Depth	Width
306 CR	55.9 hp	15,766 lb	12 ft 1 in	6 ft 6 in
307	50.6 hp	16,028 lb	13 ft 4 in	7 ft 3 in
307.5	54.8 hp	17,905 lb	15 ft 3 in	7 ft 6 in
308 CR	69.5 hp	20,077 lb	13 ft 7 in	7 ft 7 in
309 CR	69.5 hp	21,091 lb	15 ft 2 in	8 ft 1 in
310	69.5 hp	22,451 lb	17 ft 1 in	8 ft 1 in

*Digging Depth with standard stick

EXCAVATORS 30,000 – 49,999 LB

Model	HP	Max Operating Weight	Digging Depth	Width
313	108 hp	30,400 lb	19 ft 9 in	29 ft 4 in
315 CR	108 hp	34,000 lb	19 ft 6 in	28 ft 6 in
316	117 hp	39,900 lb	20 ft	28 ft 9 in
317	130 hp	40,200 lb	21 ft	28 ft 10 in

*Digging Depth with standard stick

EXCAVATORS 50,000 – 69,999 LB

Model	HP	Max Operating Weight	Digging Depth	Width
320	172 hp	50,265 lb	22 ft 1 in	30 ft 9 in
323	172 hp	56,200 lb	22 ft 1 in	32 ft 4 in
325 CR	172 hp	63,493 lb	22 ft	32 ft
326	201 hp	63,934 lb	22 ft 4 in	35 ft 2 in
330	273 hp	68,125 lb	23 ft 9 in	35 ft

*Digging Depth with standard stick

EXCAVATORS 70,000 – 120,000 LB

Model	HP	Max Operating Weight	Digging Depth	Width
336	311 hp	81,900 lb	24 ft 7 in	36 ft 2 in
349	424 hp	105,200 lb	26 ft 10 in	39 ft 9 in

*Digging Depth with standard stick

RENTAL PRODUCTS

EARTH MOVING EQUIPMENT



HAMMERS

Model	Energy Class	Machine Compatibility	Blows per Minute
B1	147.5 ft-lbf	300.9-301.8	800-1,400
B2	213.9 ft-lbf	301.7-303.5	700-1,200
B4	272.9 ft-lbf	302.5-306	600-1,100
B6	501.5 ft-lbf	304-309	500-900
B8	848.2 ft-lbf	306-309	400-800
B9	958.8 ft-lbf	306-309	400-800
H35	300.2 ft-lbf	301.4-302.4	600-1,800
H45	399.8 ft-lbf	301.7-302.7	780-1,800
H55	599.6 ft-lbf	302.5-305.5	600-1,680
H65	800.3 ft-lbf	303.5-308	720-1,740
H80	1,000.1 ft-lbf	307-312	600-1,500
H95	1,500.2 ft-lbf	307-312	700-1,260
H110s	1,475 ft-lbf	311-316	450-650
H115s	12,000 ft-lbf	312-320	450-800
H120s	3,500 ft-lbf	315-329	350-620
H130s	4,500 ft-lbf	319-329	320-600
H140s	6,000 ft-lbf	324-336	325-540
H160s	8,500 ft-lbf	336-349	400-505
H180s	12,000 ft-lbf	345-374	275-450

WHEEL EXCAVATORS

Model	HP	Operating Weight	Digging Depth	Width
M316	148 hp	36,400 lb	20 ft	26 ft 8 in
M318	169 hp	39,529 lb	20 ft	30 ft 10 in
M320	174 hp	46,740 lb	19 ft 9 in	30 ft 6 in

MOTOR GRADERS

Model	HP	Weight	Blade
Noram 65E	120 hp	16,900 lb	10 ft – 12 ft
120	145 hp	39,892 lb	12 ft
12	173 hp	33,064 lb	12 ft
140	183 hp	41,868 lb	12 ft
140 GC	196 hp	38,912 lb	12 ft

SKID STEER LOADERS 1,500 – 1,999 LB

Model	HP	Lift Capacity - 50%	Width	Weight
226	65.8 hp	1,500 lb	59 in	5,705 lb
232D	65.8 hp	1,850 lb	59 in	6,213 lb
236D	73.2 hp	1,800 lb	59 in	6,559 lb

SKID STEER LOADERS 2,000 LB & ABOVE

Model	HP	Lift Capacity - 50%	Width	Weight
242D	73.2 hp	2,150 lb	66 in	6,980 lb
246D	72.9 hp	2,150 lb	66 in	7,424 lb
250	74 hp	2,689 lb	66 in	7,829 lb
260	74 hp	3,160 lb	66.5 in	8,523 lb
262D	72.9 hp	2,700 lb	66 in	8,011 lb

EARTH MOVING EQUIPMENT



TRACK LOADERS

Model	HP	Weight	Bucket Capacity
953	148 hp	34,381 lb	2.09 yd ³ / 2.42 yd ³

TRENCHERS

Model	HP	Weight	Trench Size
Ditch Witch RT45	49 hp	4,200 lb	52 in depth/6 in wide
Toro RTX16*	16 hp	1,250 lb	3 ft depth/6 in wide

*Trailer available with rental

TRUCKS – TIRES

Model	HP	Rated Payload	Weight – Empty
Hydrema 912	131 hp	22,046 lb	19,047 lb
Hydrema 922	314 hp	44,092 lb	36,046 lb
725	342 hp	26.5 tons	50,975 lb
730	375 hp	31 tons	52,690 lb
740 GC	434 hp	40 tons	70,451 lb
745	511 hp	45.2 tons	72,627 lb

TRUCKS – TRACKS

Model	HP	Max Load	Weight – Empty
Morooka MST-800	129 hp	9,480 lb	14,140 lb
Morooka MST-1000VD	132 hp	24,251 lb	35,274 lb
Morooka MST-110CR	186 hp	11,000 lb	16,000 lb
Morooka MST-1500 VD	225 hp	13,890 lb	20,282 lb
Morooka MST-1500 VDR	225 hp	13,890 lb	20,282 lb
Morooka MST-2200	225 hp	22,046 lb	29,762 lb
Morooka MST-2200 VDR	250 hp	22,046 lb	29,762 lb
Morooka MST-3000 VD	250 hp	33,100 lb	38,600 lb

WHEEL LOADERS 1.0 – 1.9 YD³

Model	HP	Weight	Bucket Capacity (yd) – GP
906M	73 hp	12,346 lb	1.0-1.6 yd ³

WHEEL LOADERS 2.0 – 2.9 YD³

Model	HP	Weight	Bucket Capacity (yd) – GP
908M	68 hp	14,032 lb	1.2-2.0 yd ³

WHEEL LOADERS 3.0 YD³ & ABOVE

Model	HP	Weight	Bucket Capacity (yd) – GP
926M	153 hp	28,770 lb	2.5-3.2 yd ³
930M	164 hp	30,879 lb	2.7-3.5 yd ³
938M	169 hp	35,104 lb	3.65 yd ³
950	211 hp	42,811 lb	4.0 yd ³
966	276 hp	51,176 lb	4.19-9.68 yd ³
972	299 hp	54,871 lb	4.19-13 yd ³
980	386 hp	66,337 lb	4.19-16 yd ³

RENTAL PRODUCTS

ELECTRIC EQUIPMENT



ELECTRIC COMPACT UTILITY LOADER

Model	Width	Operating Capacity	Weight
eDingo 500	30 in	515 lb	2,342 lb

ELECTRIC DUMPERS

Model	Width	Operating Capacity	Weight
TWINCA ES800	35.5 in	15 CF	1,075 lb

ELECTRIC EXCAVATORS

Model	Dig Depth	Operating Weight	Weight
CMX18	7.5 ft	3,642 lb	3,642 lb

ELECTRIC RAMMER

Model	Impact Force	In Shoe
Wacker AS50E	3,597 lb	11 in x 13.4 in

ELECTRIC COMPACT UTILITY LOADER

Model	Width	Operating Capacity	Weight
Sherpa 2-Speed	31 in	595 lb	1,800 lb

Attachments Available: 31 in Buckets, Grapple Buckets, and Vacuum Attachment Systems

LIGHT/SECURITY TOWERS



TOWERS

Model	Height	Specs
Allmand NLGR	23 ft	Four – 350 W LED 228,560 Lumens 3kW Generator 313 hr runtime
Generac MLTS LED Light Tower	23 ft	Four – 320 W LED 188,000 Lumens 2.4kW Generator 165 hr runtime
Wanco Solar Surveillance System	20 ft Mast	Self-contained 1080p HD camera

MATERIAL HANDLING



BIG & JUMBO

Model	Capacity Rating	Tire Type	Fuel
H190-360HD2	19,000-36,000 lb	Pneumatic	Diesel
H360-1050 HD/S	36,000-105,000 lb	Pneumatic	Diesel

ELECTRIC SIT-DOWN & STAND UP

Model	Lift Capacity	Power Source	Tire Type
E30-40HDS	3,000-4,000 lb	36 volt	EL-COMP
E30-120XN	3,000-12,000 lb	36/48 volt	Cushion
J30-40XN	3,000-4,000 lb	36/48 volt	Pneumatic
J30-40XNT	3,000-4,000 lb	36/48 volt	Pneumatic
J45-120XN	4,500-12,000 lb	80 Volt	Pneumatic

MATERIAL HANDLING



INTERNAL COMBUSTION FORKLIFTS

Model	Lift Capacity	Engine	Tire Type
H40-70FT	4,000 - 7,000 lb	PSI 2.4L Dual Fuel	Pneumatic
H40-60XT	4,000 - 6,000 lb	PSI 2.4L Dual Fuel	Pneumatic
H135-155FT	1,350 - 15,500 lb	PSI 4.3L LPG/Diesel	Pneumatic
H170-190FT	17,000 - 19,000 lb	Kubota 3.8L 55kW/82kW	Pneumatic
H360HD	36,000 lb	Cummins QSB 6.7L Diesel	Pneumatic

PALLET JACKS

Model	Lift Capacity	Power Source	Category
W45ZHD	4,500 lb	24 Volt	Walkie
W60-80Z	6,000 - 8,000 lb	12/24 Volt	Walkie
B60-80ZHD	6,000 - 8,000 lb	24 Volt	End Rider

TELESCOPIC FORKLIFTS

Model	Load Capacity	Max Lift Height	Max Forward Reach
TH255	5,500 lb	18.3 ft	10 ft 8 in
TH0642	6,500 lb	42 ft	27 ft 7 in
TH0842	8,000 lb	42 ft	27 ft 7 in
TH1055	10,000 lb	55 ft	41 ft
TH1255	12,000 lb	55 ft	42 ft
Genie GTH-1544	15,000 lb	44 ft	27 ft 3 in

TELESCOPIC FORKLIFTS

Model	Lifting Capacity	Max Height Capacity (lbs)	Lifting Height
Magni RTH 6.25	13,200 lb	4,850 lb	82 ft
Magni RTH 6.31	13,200 lb	5,500 LB	97 ft 9 in

TRAILER SPOTTER

Model	Wheelbase	Frame/Chassis	Transmission	Drive Motor
Ottawa T2	126 in	14 in x 4.25 in x 3.5 in	6-Speed Automated	160 kW Electric Drive

WAREHOUSE FORKLIFTS

Model	Lift Capacity	Power Source	Category
R30XMS3	3,000 lb	24/36 Volt	Order Picker
R30XM3	3,000 lb	24/36 Volt	Order Picker
R30XMA3	3,000 lb	24/36 Volt	Order Picker
R30XMF	3,000 lb	24/36 Volt	Order Picker
N35-40ZRS2	3,000-4,500 lb	24/36 Volt	Reach Truck
N30ZDRS2	3,000-4,500 lb	24/36 Volt	Reach Truck
N35-45ZR2	3,000-4,500 lb	24/36 Volt	Reach Truck
N30-35ZDR2	3,000-4,500 lb	24/36 Volt	Reach Truck
W25-30ZA2	2,500-4,000 lb	24 Volt	Walkie Stackler
W40ZA	2,500-4,000 lb	24 Volt	Walkie Stackler
W20-30ZR	2,500-4,000 lb	24 Volt	Walkie Stackler
W25-40ZC	2,500-4,000 lb	24 Volt	Walkie Stackler
T5-7AZC	10,000 lb	24 Volt	EL-COMP
L05.0-7.0T	15,000 lb	24 Volt	EL-COMP

RENTAL PRODUCTS

POWER GENERATION



FUEL TANKS

Type	Gallons
Portable	250-792
Skid	500-10,000
Portable DEF Tank	100-132

PORTABLE GENERATORS

Size	Max Output
3.6 kW	3,600 w
5.5 kW	5,500 w
6.5 kW	6,500 w
7.5 kW	7,500 w
9 kW	9,700 w

TOWABLE GENERATORS

Size	Dimension	Weight
20 kW	78 in x 32 in	2,400 lb
20 kW Hybrid	40 in x 48 in	5,500 lb
30 kW	96 in x 44 in	3,600 lb
50kW	106 in x 65 in	2,877 lb
100 kW	124 in x 74 in	5,800 lb
200 kW	158 in x 44 in	14,000 lb
230 kW	171 in x 59 in	13,690 lb
300 kW	200 in x 61 in	17,000 lb
400 kW	200 in x 61 in	17,000 lb
500 kW	20 ft x 8 ft	32,000 lb
800 kW	30 ft x 8 ft	49,000 lb
1,000 kW	40 ft x 8 ft	49,000 lb
2,000 kW	40 ft x 8 ft	89,000 lb

LOAD BANKS

Specs

Reactive and resistive, any voltage, 100 kW – 5,000 kW

Ultra compact weather proof enclosures

Programmable with printed documentation

TEMPERATURE CONTROL



TEMPERATURE CONTROL

Type	Mount Type	Specs
Chillers	Skid or Trailer	30-510 tons capacity rating
Air Conditioners	Skid or Trailer	1-80 tons capacity rating
Heaters	Skid or Trailer	Indirect, direct, & electric
Dehumidifiers	Skid or Trailer	2,500 CFM or 5,000 CFM



ROADWORK EQUIPMENT



ARROW PANELS & MESSAGE BOARDS

Model

WTSP55-LSA Arrow Board
WTLMB Message Board / Sign

ASPHALT PAVERS

Model	HP	Weight	Paving Range	Class
Weiler P195	67 hp	13,000 lb	3 ft 7 in – 7 ft	Cart Path Paver
Weiler P265	74 hp	15,500 lb	7 ft 8 in – 14 ft 4 in	Commercial Class Paver
Weiler P385B	100 hp	20,500 lb	8 ft – 15 ft 8 in	Commercial Class Paver
Weiler P395	100 hp	25,000 lb	7 ft 8 in – 15 ft 4 in	Commercial Class Paver
AP600	173 hp	30,522 lb	8 ft 4 in – 16 ft 4 in	Commercial Class Paver
AP655	173 hp	34,356 lb	8 ft 4 in – 16 ft 4 in	Highway Class Paver
AP1000	225 hp	41,985 lb	9 ft 10 in – 19 ft 6 in	Highway Class Paver
AP1055	255 hp	37,398 lb	10 ft – 19 ft 6 in	Commercial Class Paver

BARRICADES

Model

AF100 Automatic Flagger
Bulk Barrel Reflective Barrier

COLD PLANERS

Model	HP	Weight	Cutting Width	Cutting Depth
RH2460	62 hp	2,635 lb	24 in	0-6 in
PM312	336.6 hp	48,429 lb	48 in	13 in
PM622	630 hp	74,737 lb	88 in	13 in

ASPHALT ROAD WIDENERS

Model	HP	Weight	Widening
W330 Road Widener	49 hp	14,500 lb	6 ft
W430 Road Widener	74 hp	18,500 lb	8 ft
W530 Road Widener	83 hp	19,500 lb	8 ft
Road Widener SSL Attachment			

RENTAL PRODUCTS



OTHER EQUIPMENT



WATER TRUCKS & TRAILERS

Model	Size
Hydrema 912 Water Truck	2,500 gal
MultiQuip WT5C	500 gal
On Road Water Truck	2,000 gal
Off Road Water Truck	4,000 gal

TRUCKS & TRAILERS

Model
5/6 yd Dump Trucks
TMA (crash trucks)
5 ton tilt deck trailer
7 ton ramp trailers
7 ton deckover trailers

WELDERS

Model	Specs
MultiQuip 400 amp	14kW of AC Power & 1,144 lb operating weight
Miller 280 amp Boom Lift Welder	Tig Welder, equipped with Skypower

UTILITY VEHICLES

Seat Capacity	Fuel Type	Top Speed
2	Diesel	25 mph
5	Diesel	25 mph

DESICCANT DRYERS

CFM	Applicator
500-3,000	Plant or pipeline drying

WATER/TRASH PUMPS

Model	Specs
MultiQuip ST2037 2 in	Pumps liquid up to 120 degrees
MultiQuip QP3TH 3 in	Pumps 396 gal a minute
MultiQuip QP4TH 4in	150 gal a minute
Atlas Copco PAS 66	12V Electric Pump
Atlas Copco PAS 1000	4" pump

RENTAL ATTACHMENTS

FULL LINE OF ATTACHMENTS AND WORK TOOLS AVAILABLE

- › Landscape Rakes
- › Material Handling Arms
- › Mulchers
- › Multi-Purpose Buckets
- › Angle Blades
- › Angle Brooms
- › Augers
- › Box Blades
- › Pick-Up Brooms
- › Rippers
- › Roadhog Rs18 Road Saws
- › Root Rakes
- › Brushcutters
- › Cold Planers
- › Compaction Wheels
- › Dozer Blades
- › Stump Grinder
- › Telehandler Booms
- › Tillers
- › Drum Compactors
- › Forks
- › General Purpose Buckets
- › Hammers
- › Tiltrotators
- › Toro Work Tools: Trenchers, Forks, Augers, Cultivators, Power Rakes
- › Trenchers
- › Harley Rakes
- › Industrial Brushcutters
- › Industrial Grapple
- › Buckets Industrial Grapple
- › Forks



REACH OUT TO OUR RENTAL EXPERTS FOR DETAILS

Carolina

CAT RENTALS

CONSTRUCTION TECHNOLOGY

SMARTER JOBSITES START WITH CONNECTED TECHNOLOGY

Take control of your jobsite with Carolina Cat Construction Technology Solutions our unified approach to delivering technology across machines and jobsites. Bringing together Caterpillar® and Trimble® solutions, we help you turn equipment data into insight, productivity, and confidence on every job. We connect what's happening in the field to the people who need it most, so you can work smarter and respond faster.

Keep your projects efficient, productive, and on track with our Construction Technology Solutions:

- › Heavy Equipment Management
- › 3D Grade Control
- › Cat Advansys GET
- › Condition Monitoring





WE ARE WHERE YOU ARE.

ASHEVILLE
828.285.9097

HICKORY
828.466.3102

SOUTH CHARLOTTE
704.401.5635

BOONE
828.268.9992

MARION
828.695.5590

SALISBURY
704.245.6031


GASTONIA
800.277.1212

MONROE
704.220.4000

WINSTON-SALEM
800.277.1212

GREENSBORO
336.297.4490

NORTH CHARLOTTE
704.921.1178



**CALL US FOR ALL YOUR
RENTAL NEEDS, LARGE
OR SMALL.**

Carolina

**CAT
RENTALS™**

www.catrentals.com/carolina

All equipment subject to availability. Specifications listed are approximate and vary based on configurations and model years.
Photos are stock images. Subject to change without prior notice. Ask your Carolina Cat Rep for details.

© 2026 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission. www.cat.com / www.caterpillar.com